Neuroscience Letters, 107 (1989) 353–357
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abbenante, J., see Kerr, K.I.B., 239
Adem, A., Jossan, S.S. and Oreland, L., Tetrahydroaminoacridine inhibits human and rat brain monoamine oxidase, 313
Agnati, L.F., see Bjelke, B., 33
Akaishi, T., Shingai, T., Miyaoka, Y. and Homma, S., Hypotonic diuresis following oropharyngeal stimulation with water in humans, 70
Akiyama, H., see McGeer, P.L., 341
Alari, L., see Persson, S., 318
Angelucci, L., see Imperato, A., 251
Arasaki, K. and Nakanishi, T., Selective neurotoxicity of clioquinol on the function of the posterior column nuclei, 85
Arbuthnott, G., see Garcia-Munoz, M., 233
Astion, M.L., Chvátal, A. and Orkand, R.K., Na^+/H^+ exchange in glial cells of *Necturus optic* nerve, 167

Bartlett, P.F., see Drago, J., 245
Bauce, L., see Weiss, S., 205
Baud, J., Thedinga, K., Portet, C., Schmutz, M., Bittiger, H., Bischoff, S., Hauser, K., Benedict, M., Meier, R. and Fagg, G.E., CGP 31358 binds to a site on the NMDA receptor that is coupled to both the transmitter recognition site and the channel domain, 184
Beaumont, P.S., see Garthwaite, J., 151
Ben-Ari, Y., see Krnjević, K., 89
Benedict, M., see Baud, J., 184
Bervoets, K., see Millan, M.J., 227
Bigalke, H., see Marxen, P., 261
Bischoff, S., see Baud, J., 184
Bisgard, G.E., see Engwall, M.J.A., 221
Bittiger, H., see Baud, J., 184
Bjelke, B., Fuxe, K. and Agnati, L.F., Increased diffusion of prolactin-like material into the brain neuropil from homologous adenohypophyseal transplants in the rat neostriatum after a 6-OH-dopamine induced degeneration of the mesostriatal dopamine neurons, 33
Bliss, T.V.P., see Williams, H.J.H., 301
Bockaert, J., see Didier, M., 55
Bolz, J., see Götz, M., 6
Brunjes, P.C., Korol, D.L. and Stern, K.G., Prenatal neurogenesis in the telencephalon of the precocial mouse *Acomys cahirinus*, 114
Bruno, J.P., see Potter, B.M., 295
Buckett, K.J. and Saint, D.A., Cholecystokinin modulates voltage dependent K^+ currents in cultured rat hippocampal neurones, 162

Cadet, J.L., see Przedborski, S., 335
Cao, W.-H., Inanami, O., Sato, A. and Sato, Y., Stimulation of the septal complex increases local cerebral blood flow in the hippocampus in anesthetized rats, 135
Chapman, A.G., Dürmuller, N., Lees, G.J. and Meldrum, B.S., Excitotoxicity of NMDA and kainic acid is modulated by nigrostriatal dopaminergic fibres, 256
Chudomelka, P.J. and Murrin, L.C., Histamine synthesis in rat hypothalamus is not acutely regulated via histidine decarboxylase, 216
Chvátal, A., see Astion, M.L., 167
Clow, A., Davidson, J., Glover, V., Halket, J.M., Milton, A.S., Sandler, M. and Watkins, P.J., Isatin and tribulin concentrations are increased in rabbit brain but not liver following pentylenetetrazole administration, 327
Clow, A., Glover, V., Oxenkrug, G.F. and Sandler, M., Stress reduces in vivo inhibition of monoamine oxidase by phenelzine in rat brain, 331
Colpaert, F.C., see Millan, M.J., 227

Daigle, M., see Harnois, C., 19
Davidson, J., see Clow, A., 327
De Troyer, A., see Farkas, G.A., 120
Deakin, J.F.W., see Simpson, M.D.C., 211
Di Paolo, T., see Harnois, C., 19
Didier, M., Roux, P., Piechaczyk, M., Verrier, B., Bockaert, J. and Pin, J.-P., Cerebellar granule cell survival and maturation induced by K^+ and NMDA correlate with c-*fos* proto-oncogene expression, 55
Djamgoz, M.B.A., Kirsch, M. and Wagner, H.-J., Haloperidol suppresses light-induced spinule formation and biphasic responses of horizontal cells in fish (roach) retina, 200
Drago, J., Reid, K.L. and Bartlett, P.F., Induction of the ganglioside marker A2B5 on

0022-4049/89/$3.50 © 1989, Elsevier Science Publishers B.V. (North-Holland)

cultured cerebellar neural cells by growth factors, 245
Dray, F., see Weidenfeld, J., 189
Dürmuller, N., see Chapman, A.G., 256

Ebbesson, S.O.E., see Meyer, D.L., 51
Engwall, M.J.A., Olson, E.B. Jr. and Bisgard, G.E., Carotid body amine levels in goats exposed to hypoxia or hypercapnia, 221

Fagg, G.E., see Baud, J., 184
Fahn, S., see Przedborski, S., 335
Farkas, G.A., Schroeder, M.A. and De Troyer, A., Effect of midline laparotomy on the cough reflex in dogs, 120
Feldman, S., see Weidenfeld, J., 189
Fortuna, S., see Nalepa, I., 195
Fox, B., see Manteuffel, G., 105
Fuxe, K., see Bjelke, B., 33

Gannon, R.L. and Terrian, D.M., BOAA selectively enhances L-glutamate release from guinea pig hippocampal mossy fiber synaptosomes, 289
Garcia-Munoz, M., Johnson, M., MacLeod, N. and Arbuthnott, G., The influence of the estrous cycle on the activity of striatal neurons recorded from freely noving rats, 233
Garthwaite, J. and Beaumont, P.S., Excitatory amino acid receptors in the parallel fibre pathway in rat cerebellar slices, 151
Gibbins, I.L., Dynorphin-containing pilomotor neurons in the superior cervical ganglion of guinea pigs, 45
Glover, V., see Clow, A., 327
Glover, V., see Clow, A., 331
Goadsby, P.J. and Lambert, G.A., Electrical stimulation of the fastigial nucleus increases total cerebral blood flow in the monkey, 141
Green, B.G., Capsacin sensitization and desensitization on the tongue produced by brief exposures to a low concentration, 173
Götz, M. and Bolz, J., Development of vasoactive intestinal polypeptide (VIP)-containing neurons in organotypic slice cultures from rat visual cortex, 6

Hablitz, J.J., see Lee, W.-L., 129
Halket, J.M., see Clow, A., 327
Harik, S.I., see Homayoun, P., 273
Harnois, C., Marcotte, G., Daigle, M. and Di Paolo, T., Retinal dopamine sensitivity to MPP^+ toxicity: electrophysiological and biochemical evaluation, 19
Harrison, N.L., see Lambert, N.A., 125
Hashizume, K., see Sato, H., 81
Hauser, K., see Baud, J., 184
Henke, P.G., Synaptic efficacy in the entorhinal-dentate pathway and stress ulcers in rats, 110
Hide, I. and Yamawaki, S., Inactivation of presynaptic 5-HT autoreceptors by lithium in rat hippocampus, 323
Hökfelt, T., see Lindh, B., 1
Homayoun, P., Lust, W.D. and Harik, S.I., Effect of several vasoactive agents on guanylate cyclase activity in isolated rat brain microvessels, 273
Homma, S., see Akaishi, T., 70
Hovorka, J., Langmeier, M. and Mares, P., Are there morphological changes in presynaptic terminals of kindled rats?, 179

Imperato, A., Ramacci, M.T. and Angelucci, L., Acetyl-L-carnitine enhances acetylcholine release in the striatum and hippocampus of awake freely moving rats, 251
Inanami, O., see Cao, W.-H., 135
Ishii, S., see Shinohara, K., 307
Itagaki, S., see McGeer, P.L., 341
Iwamoto, G.A., Mitchell, J.H., Sadeq, M. and Kozlowski, G.P., Localization of tyrosine hydroxylase and phenylethanolamine *N*-methyltransferase immunoreactive cells in the medulla of the dog, 12

Johnson, M., see Garcia-Munoz, M., 233
Johnston, G.A.R., see Kerr, K.I.B., 239
Johnston, M.V., see Uckele, J.E., 279
Jossan, S.S., see Adem, A., 313
Joó, F., see Siklós, L., 99

Kanda, K., see Sato, H., 81
Kataoka, Y., Koizumi, S., Kumakura, K., Kurihara, M., Niwa, M. and Ueki, S., Endothelin-triggered brain damage under hypoglycemia evidenced by real-time monitoring of dopamine release from rat striatal slices, 75
Kawashima, Y., see Wada, N., 94
Kemp, D.E., see Weiss, S., 205
Kerr, D.I.B., see Lambert, N.A., 125
Kerr, K.I.B., Ong, J., Johnston, G.A.R., Abbenante, J. and Prager, R.H., Antagonism

at $GABA_B$ receptors by saclofen and related sulphonic analogues of baclofen and GABA, 239
Kirsch, M., see Djamgoz, M.B.A., 200
Koizumi, S., see Kataoka, Y., 75
Korol, D.L., see Brunjes, P.C., 114
Kozlowski, G.P., see Iwamoto, G.A., 12
Krnjević, K. and Ben-Ari, Y., 89
Kuhnt, U., see Siklós, L., 99
Kumakura, K., see Kataoka, Y., 75
Kurihara, M., see Kataoka, Y., 75

Lambert, G.A., see Goadsby, P.J., 141
Lambert, N.A., Harrison, N.L., Kerr, D.I.B., Ong, J., Prager, R.H. and Teyler, T.J., Blockade of the late IPSP in rat CA1 hippocampal neurons by 2-hydroxy-saclofen, 125
Langmeier, M., see Hovorka, J., 179
Lee, W.-L. and Hablitz, J.J., Involvement of non-NMDA receptors in picrotoxin-induced epileptiform activity in the hippocampus, 129
Lees, G.J., see Chapman, A.G., 256
Leskawa, K.C., Szoke, M. and Malone, M.J., Post-mortem stability of membrane-associated sialidase activity in brain, 267
Lindh, B., Pelto-Huikko, M., Schalling, M., Lundberg, J.M. and Hökfelt, T., Substance P mRNA is present in a population of CGRP-immunoreactive cholinergic postganglionic sympathetic neurons of the cat: evidence from combined in situ hybridization and immunohistochemistry, 1
Lovick, T.A., Systemic and regional haemodynamic responses to microinjection of 5-HT agonists in the rostral ventrolateral medulla in the rat, 157
Lundberg, J.M., see Lindh, B., 1
Lust, W.D., see Homayoun, P., 273

MacLeod, N., see Garcia-Munoz, M., 233
Malone, M.J., see Leskawa, K.C., 267
Malz, C.R., see Meyer, D.L., 51
Manteuffel, G., Fox, B. and Roth, G., Topographic relationships of ipsi- and contralateral visual inputs to the rostral tectum opticum in the salamander *Plethodon jordani* indicate the presence of a horopter, 105
Marcotte, G., see Harnois, C., 19
Mares, P., see Hovorka, J., 179
Marxen, P. and Bigalke, H., Tetanus toxin: inhibitory action in chromaffin cells is initiated by specified types of gangliosides and promoted in low ionic strength solution, 261
McDonald, J.W., see Uckele, J.E., 279
McGeer, E.G., see McGeer, P.L., 341
McGeer, P.L., Akiyama, H., Itagaki, S. and McGeer, E.G., Activation of the classical complement pathway in brain tissue of Alzheimer patients, 341
Meier, R., see Baud, J., 184
Meldrum, B.S., see Chapman, A.G., 256
Meyer, D.L., Malz, C.R. and Ebbesson, S.O.E., Retino-petal neurons in the diencephalon of juvenile *Lobotes surinamensis* (teleostei), 51
Michalek, H., see Nalepa, I., 195
Mihály, A., see Siklós, L., 99
Millan, M.J., Bervoets, K. and Colpaert, F.C., Apparent hyperalgesic action of the 5-HT1A agonist, 8-OH-DPAT, in the rat reflects induction of spontaneous tail-flicks, 227
Milton, A.S., see Clow, A., 327
Mitchell, J.H., see Iwamoto, G.A., 12
Miyaoka, Y., see Akaishi, T., 70
Murrin, L.C., see Chudomelka, P.J., 216

Nakajima, Y., see Wada, N., 94
Nakanishi, T., see Arasaki, K., 85
Nakazato, Y., see Satoh, E., 284
Nalepa, I., Pintor, A., Fortuna, S., Vetulani, J. and Michalek, H., Increased responsiveness of the cerebral cortical phosphatidylinositol system to noradrenaline and carbachol in senescent rats, 195
Nishikawa, T., see Shinohara, K., 307
Niwa, M., see Kataoka, Y., 75
Nyberg, F., see Persson, S., 318
Näätänen, R., Paavilainen, P. and Reinikainen, K., Do event-related potentials to infrequent decrements in duration of auditory stimuli demonstrate a memory trace in man?, 347

Olson, E.B. Jr., see Engwall, M.J.A., 221
Ong, J., see Kerr, K.I.B., 239
Ong, J., see Lambert, N.A., 125
Oreland, L., see Adem, A., 313
Orkand, R.K., see Astion, M.L., 167
Oxenkrug, G.F., see Clow, A., 331

Paavilainen, P., see Näätänen, R., 347
Parent, A., see Paré, D., 145
Paré, D., Smith, Y., Parent, A. and Steriade,

M., Neuronal activity of identified posterior hypothalamic neurons projecting to the brainstem peribrachial area of the cat, 145
Pelto-Huikko, M., see Lindh, B., 1
Persson, S., Post, C., Alari, L., Nyberg, F. and Terenius, L., Increased neuropeptide-converting enzyme activities in cerebrospinal fluid of opiate-tolerant rats, 318
Piechaczyk, M., see Didier, M., 55
Pin, J.-P., see Didier, M., 55
Pintor, A., see Nalepa, I., 195
Portet, C., see Baud, J., 184
Post, C., see Persson, S., 318
Potter, B.M. and Bruno, J.P., Food intake of rats depleted of dopamine as neonates is impaired by inhibition of catecholamine biosynthesis, 295
Prager, R.H., see Kerr, K.I.B., 239
Prager, R.H., see Lambert, N.A., 125
Przedborski, S., Wright, M., Fahn, S. and Cadet, J.L., Autoradiographic evidence of [^{3}H]neurotensin binding changes in discrete regions of brain in the rat model of persistent spasmodic dyskinesia induced by iminodipropionitrile, 335

Rama Krishna, N.S. and Subhedar, N., Hypothalamic innervation of the pituitary in the catfish *Clarias batrachus* (L): a retrograde horseradish peroxidase study, 39
Ramacci, M.T., see Imperato, A., 251
Reid, K.L., see Drago, J., 245
Reinikainen, K., see Näätänen, R., 347
Roth, G., see Manteuffel, G., 105
Rougeot, C., see Weidenfeld, J., 189
Roux, P., see Didier, M., 55
Royston, M.C., see Simpson, M.D.C., 211

Sadeq, M., see Iwamoto, G.A., 12
Saeki, Y., Sato, A. and Trzebski, A., Stimulation of the rostral ventrolateral medullary neurons increases cortical cerebral blood flow via activation of the intracerebral neural pathway, 26
Saint, D.A., see Buckett, K.J., 162
Sandler, M., see Clow, A., 327
Sandler, M., see Clow, A., 331
Sato, A., see Cao, W.-H., 135
Sato, A., see Saeki, Y., 26
Sato, H., Kanda, K., Hashizume, K. and Yamada, J., Nerve stimulation does not necessarily enhance retrograde HRP labeling of rat motoneuron, 81
Sato, Y., see Cao, W.-H., 135
Satoh, E. and Nakazato, Y., [^{3}H]Acetylcholine release and the change in cytosolic free calcium level induced by high K^+ and ouabain in rat brain synaptosomes, 284
Schalling, M., see Lindh, B., 1
Schmutz, M., see Baud, J., 184
Schroeder, M.A., see Farkas, G.A., 120
Shingai, T., see Akaishi, T., 70
Shinohara, K., Nishikawa, T., Ishii, S., Yamazaki, K. and Takahashi, K., Embryonic and postnatal development of *N*-(1-[2-thienyl]cyclohexyl)[^{3}H]piperidine binding sites in rat forebrain homogenates and slices, 307
Siklós, L., Kuhnt, U., Mihály, A. and Joó, F., Elevation of intracellular calcium content in area CA1 of hippocampus is not directly correlated with the development of long-term potentiation, 99
Silverstein, F.S., see Uckele, J.E., 279
Simpson, M.D.C., Slater, P., Deakin, J.F.W., Royston, M.C. and Skan, W.J., Reduced GABA uptake sites in the temporal lobe in schizophrenia, 211
Skan, W.J., see Simpson, M.D.C., 211
Slater, P., see Simpson, M.D.C., 211
Smith, S.S., Quisqualate and *N*-methyl-D-aspartate synergistically excite cerebellar Purkinje cells as a long-term effect, 63
Smith, Y., see Paré, D., 145
Steriade, M., see Paré, D., 145
Stern, K.G., see Brunjes, P.C., 114
Subhedar, N., see Rama Krishna, N.S., 39
Szoke, M., see Leskawa, K.C., 267

Takahashi, K., see Shinohara, K., 307
Terenius, L., see Persson, S., 318
Terrian, D.M., see Gannon, R.L., 289
Teyler, T.J., see Lambert, N.A., 125
Thedinga, K., see Baud, J., 184
Trzebski, A., see Saeki, Y., 26

Uckele, J.E., McDonald, J.W., Johnston, M.V. and Silverstein, F.S., Effect of glycine and glycine receptor antagonists on NMDA-induced brain injury, 279
Ueki, S., see Kataoka, Y., 75

Verrier, B., see Didier, M., 55
Vetulani, J., see Nalepa, I., 195

Wada, N., Kawashima, Y. and Nakajima, Y., Effect of nucleus raphe magnus stimulation on recurrent inhibition of the monosynaptic reflex in the cat, 94
Wagner, H.-J., see Djamgoz, M.B.A., 200
Watkins, P.J., see Clow, A., 327
Weidenfeld, J., Rougeot, C., Dray, F. and Feldman, S., Adrenocortical response following acute neurogenic stimuli is mediated by CRF-41, 189
Weiss, S., Kemp, D.E. and Bauce, L., Kainate evokes the release of endogenous glycine from striatal neurons in primary culture, 205
Williams, H.J.H. and Bliss, T.V.P., An in vitro study of the effect of lipoxygenase and cyclo-oxygenase inhibitors of arachidonic acid on the induction and maintenance of long-term potentiation in the hippocampus, 301
Wright, M., see Przedborski, S., 335

Yamada, J., see Sato, H., 81
Yamawaki, S., see Hide, I., 323
Yamazaki, K., see Shinohara, K., 307

ANNOUNCEMENTS

The *2nd International Congress of Neuroendocrinology* will be held in Bordeaux, France, from June 24 to 30, 1990. Organized by the International Society of Neuroendocrinology.

Information: 2nd International Congress of Neuroendocrinology, Bordeaux Congress, 33300 Bordeaux-Lac, France. Tel.: 56.50.84.49; Telex: 540 519F; Telefax: 56.43.17.76.

The *5th International Congress on Neurotoxicology and Occupational Neurology* will be held in Prague, Czechoslovakia, September 24 to 27, 1990.

Congress secretariat: Czechoslovak Medical Society, J.E. Purkyně, 5th International Congress on Neurotoxicology and Occupational Neurology, Vítězného února 31, 120 26 Prague 2, Czechoslovakia. Tel.: 0042/2/294141; Telex: 12 1293.

The *15th International Symposium on Cerebral Blood Flow and Metabolism* will be held in Miami, FL, U.S.A., June 1 to 6, 1991.
Chairmen: Myron D. Ginsberg, M.D., and Peritz Scheinberg, M.D.

Deadline for receipt of abstracts: October 15, 1990.

Information and requests for registration and abstract forms should be directed to: Ms. Jenny Bernal, Conference Coordinator, Brain-91, University of Miami Conference Center, 400 SE Second Avenue, 4th Floor, Miami, FL 33131, U.S.A.